



<http://wiki.homerecz.com>

.....	1
.....	1
.....	1
.....	1
U77	5
Schematic	10
.....	11
.....	11
.....	11
.....	11

U77

FET , T-power .

<https://www.atomheartstudio.com/gears/neumann/neumann77.html>












Schematic



IONACERSPEISUNG DIN45595
 MODULATION LEAD POWERING DIN45595

1+)-POLARITÄT BE DRUCKANSTIEG
 VOR DER MEMBRAN
 POLARITY AT SUDDEN RISE OF SOUND
 PRESSURE BEFORE THE DIAPHRAGM

BEI ERSATZTEILBESTELLUNG BITTE GEFÄT-NR. U.POS.-ZAHLEN
 ANGEBEN!
 FOR REPLACEMENT PLEASE ALWAYS GIVE SERIAL & PART NUMBER!

COLORS

GERMAN	AMERICAN
BL	BLU
GE	TEL
GN	CRN
RT	RED
WS	WHT
SW	BLK

RESISTORS

GERMAN	AMERICAN
	0,5 W
	0,1 W
	0,25 W



AUF DIE STECKER GESEHEN
 PIN VIEW

ABGLEICHEN
 SELECT




KONDENSATOR-MIKROPHON U77, U77i
 CONDENSER MICROPHONE L 77, U77i

10236 - 930 - A00.C5

GEORG NEUMANN GMBH
 BERLIN





<http://wiki.homerecz.com>

From:

<https://wiki.homerecz.com/> -

Last update: **2024/07/08**

: (admin@homerecz.com)