




<http://wiki.homerecz.com>

.....	1
.....	1
.....	1
.....	1
KRK Goaux3	5
.....	10
.....	10
.....	10
.....	10

KRK Goaux3

KRK GoAux 3



- System Inputs: [Bluetooth](#), RCA, 1/8" Aux
- System Outputs: 1/8" Stereo Headphone Jack With Auto [Speaker](#) Mute
- [Bluetooth](#): Version 5.0 and Older Compatibility
- Low-Frequency Transducer: 3" Woven Glass Aramid
- High-Frequency Transducer: 1" Soft Textile Dome
- Crossover Frequency: 2.5KHz
- Power Output: Bi-Amplified Class D (60Watts [RMS](#) Total System Power; 22W [RMS](#) For Each Woofer, 8W [RMS](#) For Each Tweeter)
- Maximum Continuous [SPL](#): 95.5dBSP
- System [Peak SPL](#): 99dBSP
- Maximum System [SPL](#), Momentary [Peak](#): 105dBSP
- [Frequency Response](#) (-3dBSP): 65Hz - 20KHz
- Frequency Range (-10dBSP): 60Hz - 22KHz
- System Distortion: < 0.2% Thd+N 45Hz - 20 KHz (-3dB Max Power)
- Signal to [Noise](#) Ratio: > 95dB(A-Weighted)@Rated Output [Level](#)
- Coverage (Horizontal X Vertical): 120 Degrees X 60 Degrees
- AC Input Voltage: Ac100 - 240V 50/60Hz
- AC Power Consumption: Idle 100/240
- VAC: 5.57W Max Power 100/2400
- VAC: 60W Standby Mode 100/2400
- VAC: 0.475W
- Enclosure Type: Rear Ported
- Enclosure Material: ABS
- Enclosure Finish: Black Textured
- Dimensions (H X W X D): 6.8" X 4.37" X 4.72" (172 mm X 111 mm X 120 mm)
- [Weight](#): 6.94 lbs (3.15 Kg) Including Both [Speakers](#), Stands, Carrying Bag, and Included Accessories










- [Facebook](#)
- [Twitter](#)
- [Email](#)



<http://wiki.homerecz.com>

From:
<https://wiki.homerecz.com/> -

Last update: **2024/04/18**

: (admin@homerecz.com)