



<http://wiki.homerecz.com>



.....	1
.....	1
.....	1
.....	1
<b>Tannoy Dual Concentric .....</b>	<b>5</b>
<b>DC100 .....</b>	<b>5</b>
<b>DC200 .....</b>	<b>6</b>
.....	8
.....	8
.....	8
.....	8



# Tannoy Dual Concentric

Tannoy Dual Concentric

(Point Source)

1947

Tannoy Dual Concentric

, Monitor Black, Silver, Red

가

가

가



## DC100

- Bass: 1 x 8" cone
- Tweeter: 1 x dome

- Enclosure: 20 litre, bass reflex
- Grille: acoustic cloth
- Finish: walnut vinyl veneer
- Dimensions: 480 x 267 x 230mm
- **Weight:** 8.75kg




## DC200

### Specifications

- Amplifier Power: 10 to 120 **watts**
- **Peak Input Power:** 150W
- **Impedance:** **Nominal** 8Ω, minimum 6Ω
- **Sensitivity:** 90dB for 2.8v in at 1 metre
- **Frequency Response:** 45Hz to 20kHz ±3dB
- Phase Response: 110Hz to 10kHz ±30°
- Dispersion at -6dB points: 90° conical
- Crossover Frequency: 1.8kHz
- CrossoverType: Hardwired first and damped second order networks with parallel **impedance** compensation.

- Distortion for 90dB at 1 metre: Less than 1 %, 100Hz to 10kHz.
- Bass Loading: Single ducted port
- Internal Volume: 33 litres
- Cabinet Material: 18mm and 15mm particle board
- Dimensions: 560 x 330 x 265mm, (22" x 13" x 10.4")
- Weight: 12.5Kg (27.5lbs)





<http://wiki.homerecz.com>

From:  
<https://wiki.homerecz.com/> -

Last update: **2025/04/02**

: [admin@homerecz.com](mailto:admin@homerecz.com))