



<http://wiki.homerecz.com>

.....	1
.....	1
.....	1
.....	1
RME Micstasy	5
.....	5
.....	5
.....	5
.....	7
.....	7
.....	7
.....	7

RME Micstasy

PGA2500 Op-amp, 2007


- RME Micstasy 8 AD ,
, MIDI MADI AutoSet
SteadyClock
- 8 XLR / : 85dB -56.5dBu +30dBu
 - : Mic/Line 가
 - Hi-Z : TRS / Hi-Z
 - AutoSet :
 - SteadyClock : AD
 - MADI : I64 MADI 가 64
 - LED : 13 LED
 - M/S : M/S
 - 가 : MIDI MIDI over MADI

 - : 8 x XLR / , TRS /
 - : 85dB
 - : -56.5 dBu ~ +30 dBu
 - :
 1. : XLR, +27 dBu
 2. : AES/EBU (4 x D-sub, 192kHz), ADAT (96kHz)
 3. MADI I/O ():
 - : 200kHz
 - (THD):
 - : SteadyClock™, Intelligent Clock Control (ICC)
 - : MIDI MIDI over MADI
 - AutoSet :

RME Micstasy ,

SteadyClock AutoSet

MADI





<http://wiki.homerecz.com>

From:
<https://wiki.homerecz.com/> -

Last update: **2025/04/03**

: (admin@homerecz.com)