



<http://wiki.homerecz.com>

..... 1

..... 1

..... 1

..... 1

Audiophile 192 5

..... 5

..... 5

..... 5

..... 5

..... 6

..... 6

..... 6

..... 8

..... 8

..... 8

..... 8

Audiophile 192

M-Audio Audiophile 192
192kHz

I/O,


- I/O: 2, Coaxial S/PDIF, MIDI
- 192kHz : 192kHz
- I/O: 2496 I/O
- 가
- : 109dBa (2496 100dBa)
- AKM : AKM 5385A A-D AKM 4358 D-A
- : Mac OS WDM, ASIO 2, GSIF 2, Mac Core Audio
- 64 PC : XP 64 64 PC
- : Propellerhead Reason Ableton Live , Acid ised WAV Pro Sessions CD
- PCI : 3.3 5
- : 25 In L & R, Main Out L & R, Mon Out L & R
- 6 , MIDI In/Out DIN 2
- S/PDIF: Coaxial S/PDIF PCI
- : XP SP1 , 2000 SP4, Mac OS Jaguar 10.2.8 , Panther 10.3.4
- : Cubase SX3 (ASIO), Wavelab 5 (MME-WDM), Gigastudio (GSIF) 가
- : 192kHz 20Hz ~ 80kHz (±0.5dB)
- THD + : 0.0006%, 0.0023%
- : 113dBa (A-D), 109dBa (D-A)
- : ASIO 64 1.5ms (CPU 가)

- 가
-
- GSIF 2.0

- +4/-10
-
-

가

M-Audio Audiophile 192 가



M Audio Delta Control Panel

Monitor Mixer | Patchbay / Router | Hardware Settings | S/PDIF | About

Master Volume: 0.0 | 0.0

Mixer Inputs

- WavOut 1/2: 0.0 | 0.0
- WavOut S/PDIF: 0.0 | 0.0
- H/W In S/PDIF: -144.0 | -144.0
- H/W In 1/2: -144.0 | -144.0

0 dB

Done

Save | Delete | Load

H/w Installed

- #1 AP192
- #2
- #3
- #4

AUDIO



<http://wiki.homerecz.com>

From:

<https://wiki.homerecz.com/> -

Last update: **2025/04/08**

: (admin@homerecz.com)