



<http://wiki.homerecz.com>

..... 1

..... 1

..... 1

..... 1

Firewire 410 5

..... 5

..... 5

..... 5

..... 6

Firewire 410 6

..... 6

..... 7

..... 7

..... 7

..... 7

..... 7

..... 7

..... 7

..... 8

..... 9

..... 9

..... 9

..... 9

..... 9

Firewire 410

M-Audio Firewire 410 가 Firewire , 가 .

Firewire 8 가 가
M-Audio Firewire 410 Firewire 가 [USB 1.1](#)

- 4 10 가 .
- 24 /96kHz 가 .
- [MIDI](#) .
- 가 [EQ](#) , 가

- 1U(44mm), 160mm , 235mm .
- 가 ,
- 2 Neutrik
- Mic/Line
- 가 +48V 66dB
- (:) 가
- 20dB 가 .
- -10dBV 가 ,
- (-30dB) (3dB) LED
- 410 “
- 가 8 'blinkies'가

-
- S/PDIF, MIDI, MIDI Thru, +48V, 가
- 2 (-10dBV)
- S/PDIF
- Firewire
- MIDI
- 12V DC
- I/O

Firewire 410

- : 32kHz, 96kHz, 192kHz, 1/2 가
- : 가 +48V, 2 XLR, TS, 66dB, 20dB 가
- -10dBV, TS, (7.1 가), 8 TS, 2
- I/O: AC3, DTS, S/PDIF
- MIDI:
- : 2, 6 Firewire
- : 20Hz ~ 40kHz, +0/-1dB.
- : -104dB
- : 108dBA
- THD + : 0dBFS, 0.00281%.
- : 9.25 x 7 x 1.9
- : 2.95lbs.

- PC 410 3 Windows 2000 SP1 XP Windows 98 Me
- Mac Mac OS 9.2 OS 10.1.5
- M-Audio Ableton Live Delta, Arkaos VJ Lite, DSound RT Player Express, IK Multimedia Sampletank Free Linplug Free Alpha synth가

- M-Audio
- Firewire 410
- Firewire 410

410

'Multi'

- Firewire 410 M-Audio

PCI USB

- , , 가 가
- M-Audio 가 10
- (8 2) 4 (2 2)
- 가
-

mLAN

mLAN

ASIO mLAN

Yamaha

(ASIO mLAN)

(ASIO mLAN . mLAN

+ mLAN)

ASIO

5ms

ASIO

Patchbay

Firewire 410 6 Firewire

6 -6 Firewire

6 Firewire 12

(iLink)

. USB 2.0 5

1.25

500mA

PSU

4 Firewire

M-Audio 12V DC 1A

2

M-Audio

가

6

가

PCMCIA Firewire

Cardbus

가

FW410
410

가

410

가

가

Wavelab

가

410

가

가

'thwack'

()

MME-WDM

ASIO

Echo Mia

(M-

Audio

AKM

). Rightmark

24

/44.1kHz

100dB, 24

/96kHz

101dB

108dB

ASIO

PC

가

64

(44.1kHz

1.5ms

)

. GSIF

Gigastudio


410

Cubase

Gigastudio

410

- <https://www.soundonsound.com/reviews/m-audio-firewire-410>



<http://wiki.homerecz.com>

From:
<https://wiki.homerecz.com/> -

Last update: **2025/04/08**

: (admin@homerecz.com)