



<http://wiki.homerecz.com>



..... 1

..... 1

..... 1

..... 1

**Merging Hapi** ..... 5

..... 5

..... 5

..... 5

..... 6

..... 6

..... 6

..... 8

..... 8

..... 8

..... 8



# Merging Hapi

Merging Technologies Hapi

가

- : Cat 5e Cat 6 가  
ASIO/Core Audio . Ravenna (layer-3 audio-over-IP) ,  
AES67 가 .
- : Horus Ravenna  
가 I/O .
- I/O: 8 AES3 (AES59 D-Sub) 8 ADAT . ADAT  
2 S/PDIF .
- : . 8 16  
I/O, 64 MADI, 8 가 .
- : /  
384kHz DXD/DSD 가 가 ,
- : (BNC), LTC, MIDI . Hapi Ravenna  
. 90-260V AC IEC 10-14V DC  
coaxial .
- : , Ravenna  
가

- : 1U
- : , 160 × 128 OLED , / ,  
3.5mm
- : IEC , , AES3 I/O (25 D-Sub), ADAT ( ) ,  
BNC, , MIDI (15 D-Sub), RJ45
- :

- **MT Discovery:**
- **Ravenna Easy Connect:** I/O DAW
- : Hapi 가

- 
- 
- 
- 

- 가
- 가

### Merging Hapi

\* <https://www.soundonsound.com/reviews/merging-hapi>



RavennaEasyConnect

# Merging/Ravenna Easy Connect

Copyright 2014 Merging Technologies Inc. - all rights reserved.

### Local Computer Ravenna Hosts

- ASIO (on HughRobjohns-PC)
  - ins
    - Hapi 90047 A/D 1
  - outs
    - Hapi 90047 D/A 2
    - Hapi 90047 Headphone
  - timecode

### Network Accessible Ravenna Devices

- Hapi\_90047

Easy-Force all connected Devices

Clear All Connections      Connect Selected      Disconnect Selected

Merging Technologies Merging ASIO Driver (on HughRobjohns-PC) : chosen for master device

1	2	3	4	5	6	7	8
Line	Line	Mic	Mic	Mic	Mic	Mic	Mic
48V	48V	48V	48V	48V	48V	48V	48V
Pad	Pad	Pad	Pad	Pad	Pad	Pad	Pad
Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø
80Hz	80Hz	80Hz	80Hz	80Hz	80Hz	80Hz	80Hz
0.0	0.0	47.0	47.0	35.5	35.5	66.0	66.0
+	+	+	+	+	+	+	+
-	-	-	-	-	-	-	-
1	2	3	4	5	6	7	8

GRP 1 GRP 2 GRP 3 GRP 4 GRP 5 GRP 6 GRP 7 GRP 8 ALL GRP 1 RMN GRP 1 RST GRP 1 RST ALL GRP PreAmp



<http://wiki.homerecz.com>

From:

<https://wiki.homerecz.com/> -

Last update: **2025/04/07**

: (admin@homerecz.com)