



<http://wiki.homerecz.com>

.....	1
.....	1
.....	1
.....	1
PreSonus Revelator io24	5
.....	5
.....	5
.....	5
.....	6
.....	6
.....	6
.....	10
.....	10
.....	10
.....	10

PreSonus Revelator io24

PreSonus Revelator io24

가

USB

- : , 1U
- :
- : , Universal Control
- DSP : Fat Channel DSP
- : Zoom Discord
- : 가

- :
- :
 - 2 XLR (XMAX-L)
 - 2
 -
 - 5 MIDI I/O
 - USB-C
- :

- **Universal Control:** PreSonus / / , Revelator
- **Fat Channel:** (High-pass Filter, Gate, Compressor, EQ, Limiter) , StudioLive Series III State-Space Modelled
- : 가

-
-
- Fat Channel DSP
-
- 2 가
-
-

- 가
- 가
- I/O
-
- ()

PreSonus Revelator io24

, 2


- <https://www.soundonsound.com/reviews/presonus-revelator-io24>





The screenshot displays the Revelator IO 24 software interface, which is a digital audio workstation (DAW) plugin. The interface is organized into several sections:

- Top Bar:** Contains a menu of processing modules: HPF, Gate, Comp, EQ, Limiter, and Voice. Each module has a power button icon.
- Vintage EQ Section:** Features two frequency sliders labeled "HMF" and "HF", both set to 0.00 dB. There are also checkboxes for "HMF" and "HF".
- Limiter Section:** Shows a "Limiter" knob set to -1.50 dB.
- Vocoder Section:** Includes three knobs: "Freq" set to 80.00 Hz, "Type" set to Sawtooth, and "Wet/Dry" set to 50%.
- Channel Strip Section:** Contains seven individual channel strips, each with a gain knob, a reverb knob, and a level meter. The strips are labeled: Channel 1 (48V, Gain 0.90 dB), Channel 2 (48V, Gain 0.63 dB), Playback (-1.24 dB), Virtual A (0.00 dB), Virtual B (-2.04 dB), Reverb (0.19 dB), and Main (0.10 dB). Each strip has "Mute" and "Solo" buttons.
- MIX Section:** A vertical panel on the right side of the channel strips, containing a "Main" output selector, headphones icons for "Stream Mix A" and "Stream Mix B", and a "Mute" button.



<http://wiki.homerecz.com>

From:
<https://wiki.homerecz.com/> -

Last update: **2025/04/07**

: (admin@homerecz.com)