



<http://wiki.homerecz.com>

..... 1

..... 1

..... 1

..... 1

HDSP 9632 5

..... 5

..... 5

..... 6

..... 7

..... 7

..... 8

..... 8

..... 9

..... 9

..... 9

..... 9

HDSP 9632

Hammerfall DSP

RME PCI HDSP 9632 192kHz Hammerfall

RME Hammerfall DSP System HDSP 9652 (SOS 2003 7)
HDSP 9632가 , HDSP 9632 Mark Wherry 9652

HDSP 9632 “ 가 PCI “ , 9652
가 HDSP I/O 32kHz 192kHz RME
PCI 192kHz, 24 110dB
(16)

가 , 가 PCI
PCI
가 HDSP 9632 Steady Clock
) 1 가 PLL (, 가
PCI 2.1 2 D-sub ADAT
S/MUX 4 96kHz I/O 8 48kHz
Toslink S/PDIF
2 D-sub I/O
9 D-sub S/PDIF I/O S/PDIF
I/O 192kHz XLR , AES-EBU I/O

XLR
MIDI
XLR

-10dBV 3가 +4dBu +4dBu +4dBu -9dBu

SMPTE ! 'lo gain' EBU

HDSP 9632 RME Totalmix DSP / 40

512 가 가

DVD AC3 가

가 DSP HDSP 9632 RME ASIO CPU DSP

가 DSP FPGA DSP FPGA

RME

CD-ROM Windows 2000 XP (MME, GSIF ASIO 2.0

)가 2003 8 가 v2.62

Foundry Vegas ASIO 가 Sonic

(v1.1 Mac OS X) CD Mac

(), ROM Digicheck Meter Bridge

 가 Adobe Acrobat (PDF) 41 가

가 Flash EEPROM 가 BIOS' ROM

HDSP 9632 가 I/O RME (EXB)

4 8 48kHz AEB4I, AEB8I, AEB40 AEB80(

) TDIF 가 TEB .

HDSP 9632 2 가 가

AI4S 192 AO4S 192 , 192kHz

가 I/O 4 TRS .

3

2 HDSP 9632 6

/ 24/192 .

Steady Clock

()

2

9632

BNC

HDSP

PC

1.5 186ms

8

AES

S/PDIF

Digicheck

DSP

CD

DAT

ID

CD

(TMS)

HDSP 9632

Hammerfall

2fs

192kHz

가

ADAT, S/PDIF

HDSP 9632

AI4S 192

AO4S 192

9632

가

192kHz

5.1

- 192kHz
- ADAT, S/PDIF
- 가 I/O
-

MME ASIO

Totalmix


-

- Mac Windows

Hammerfall [DSP](#)

[192kHz](#)

- <https://www.soundonsound.com/reviews/rme-hdsp-9632>



<http://wiki.homerecz.com>

From:

<https://wiki.homerecz.com/> -

Last update: **2025/04/07**

: (admin@homerecz.com)