



<http://wiki.homerecz.com>

.....	1
.....	1
.....	1
.....	1
SSL 18	5
.....	5
.....	5
.....	6
.....	6
.....	6
.....	6
.....	9
.....	9
.....	9
.....	9

SSL 18

SSL(Solid State Logic) 18 1U , SSL

- : 8 XLR/ , S/PDIF, 2 ADAT 26
(27) . 5 S/PDIF,
16 ADAT 28 .
- : 67dB -130.5dB EIN (Equivalent Input Noise)
. 4K SSL 4000 가 .
- : 120dB (), 125dB ()
, -100dB THD+Noise (), -106dB THD+Noise ()
- **+24dBu** : +24dBu
+9dBu 가 .
- **DC** : 가 .
- : SSL Listen Mic Compressor (LMC) .
- **SSL 360°** : SSL SSL Link 가 .
- : , , , . 3+4
- : DAW , DAW 가 .

- : 1U
- :
 - 8 XLR/ (/)
 - S/PDIF
 - 2 ADAT
 - (XLR/)
- :
 - 5 ()
 - S/PDIF
 - 16 ADAT
 - 2 ()
- :
 - (BNC)
 - MIDI In/Out ()
 - USB Type-C
 - (IEC)

- :
 - 2
 -
 -

- **SSL 360°:** , ,


-
- SSL 360°
- +24dBu
- LMC

- ()
-

SSL 18 “ 8 + ADAT ” 가


- <https://www.soundonsound.com/reviews/solid-state-logic-18>





I/O MODE Mixer currently disabled

INPUTS		OUTPUTS		PHONES	
Analogue 1-2	> DAW In 1-2	Playback 1-2	> Line Outs 1-2	•	•
Analogue 3-4	> DAW In 3-4	Playback 3-4	> Line Outs 3-4	•	•
Analogue 5-6	> DAW In 5-6	Playback 5-6	> Line Outs 5-6	•	•
Analogue 7-8	> DAW In 7-8	Playback 7-8	> Line Outs 7-8		•
Talkback	> DAW In 9-10	Playback 9-10	> Line Outs 9-10	•	
ADAT 1-2	> DAW In 11-12	Playback 11-12	> ADAT 1-2	•	•
ADAT 3-4	> DAW In 13-14	Playback 13-14	> ADAT 3-4	•	•
ADAT 5-6	> DAW In 15-16	Playback 15-16	> ADAT 5-6	•	•
ADAT 7-8	> DAW In 17-18	Playback 17-18	> ADAT 7-8	•	•
ADAT 9-10	> DAW In 19-20	Playback 19-20	> ADAT 9-10	•	•
ADAT 11-12	> DAW In 21-22	Playback 21-22	> ADAT 11-12	•	•
ADAT 13-14	> DAW In 23-24	Playback 23-24	> ADAT 13-14	•	•
ADAT 15-16	> DAW In 25-26	Playback 25-26	> ADAT 15-16	•	•
		Playback 27-28	> S/PDIF L-R	•	•



<http://wiki.homerecz.com>

From:
<https://wiki.homerecz.com/> -

Last update: **2025/04/08**

: (admin@homerecz.com)