



<http://wiki.homerecz.com>



|  |          |
|--|----------|
| .....                                  | 1        |
| .....                                  | 1        |
| .....                                  | 1        |
| .....                                  | 1        |
| <b>Universal Audio Apollo 16 .....</b> | <b>5</b> |
| .....                                  | 5        |
| .....                                  | 5        |
| .....                                  | 5        |
| <b>Console .....</b>                   | <b>5</b> |
| .....                                  | 6        |
| .....                                  | 6        |
| .....                                  | 6        |
| .....                                  | 6        |
| .....                                  | 9        |
| .....                                  | 9        |
| .....                                  | 9        |
| .....                                  | 9        |
| .....                                  | 9        |



# Universal Audio Apollo 16

Universal Audio Apollo 16 UA Powered Plug-in

가

I/O,

,  
Apollo

Apollo 16  
16 I/O DB25 (Tascam convention)

)

\* **UAD** : UA Powered Plug-ins DSP  
UA  
\* 16 I/O: 16 Quad  
I/O Quad  
DSP \* AES3 I/O: ADAT S/PDIF I/O AES3  
\* MADI : 32-in/out Apollo 16  
MADI \*  
\* DC : Apollo 16 DC \* 가  
Console 8 가  
Console  
**Console Recall** : Console

\* : 1U \* : \* :  
XLR \* : 10- LED 16  
\* : 2 Firewire 800 가

\* **Console** : UA Console \* **UAD** : UAD  
Firewire \* **Firewire** : , DSP  
가

## Console

\* : Apollo , Apollo 16 Console Apollo

4 Cue \* : 2  
Aux 가 (176.4 192kHz Aux 2 ). \*  
4 . \* Rec/Mon :  
\* : UAD

\* 1U 16 I/O Quad UAD DSP \* 32  
가 . \* UAD \* 가  
UAD Console

\* Console \* Console  
가 ( : , ). \* Firewire 800  
Mac \*  
DAW \*

Apollo 16 DSP 가 . 16  
UAD





**UAD Control Panel**

**FIREWIRE SYSTEM**

Current Link Speed: **800** Target Link Speed: **800**

UAD Bandwidth Allocation: **65%**

**PLUG-IN CALCULATOR**


Max Stereo Plug-ins: **44** At the following sample rate: **44.1kHz**

**BANDWIDTH METERING**

Used by UAD: **0%**

Used by other devices: **18%**

**INFO**





<http://wiki.homerecz.com>

From:  
<https://wiki.homerecz.com/> -

Last update: **2025/04/08**

: [admin@homerecz.com](mailto:admin@homerecz.com))