



<http://wiki.homerecz.com>



.....	1
.....	1
.....	1
.....	1
<b>SRC .....</b>	<b>5</b>
.....	8
.....	8
.....	8
.....	8



# SRC

## Sample Rate Converter

SRC

SRC

1.

, CD

44.1kHz

2.

가

3. SRC : SRC

4.

: SRC

5.

SRC

SRC



**General Settings**

- Interface: **USB** (highlighted)
- Control Panel: **L**
- Knob Mode: **Linear**
- Conversion Mode: **Linear Phase**
- Peak Hold:

**AXR4 Settings**

- Digital A: **S/PDIF**
- Digital B: **AES/EBU**
- HPF: **80 Hz**
- Post Fader: **Send for Reverb**
- Routing Mode: **Matrix Routing**
- AES/EBU Master: **AES 1/2**
- SRC** (highlighted)

**Output Routing**

Hardware Outputs									Outputs
Sub1	Sub2	HPI	LOOPBACK	Main	Vocal	Piano	Drum	Bass	
									LINE OUT 1
									LINE OUT 2
									LINE OUT 3
									LINE OUT 4
									LINE OUT 5
									LINE OUT 6
									LINE OUT 7
									LINE OUT 8
									S/P OUT AL
									S/P OUT AR
									AES OUT 1
									AES OUT 2
									AES OUT 3
									AES OUT 4
									AES OUT 5
									AES OUT 6
									AES OUT 7
									AES OUT 8

- Facebook
- Twitter





<http://wiki.homerecz.com>

From:  
<https://wiki.homerecz.com/> -

Last update: **2024/04/06**

: [admin@homerecz.com](mailto:admin@homerecz.com))