



<http://wiki.homerecz.com>

.....	1
.....	1
.....	1
.....	1
Preferences of Cubase and Nuendo	5
Mac OS X	5
Windows	5
<i>List of settings files and their purpose</i>	5
.....	8
.....	8
.....	8
.....	8
.....	8

Preferences of Cubase and Nuendo

Cubase Nuendo

[Cubase](#) Element/Studio/Artist/AI/LE

Cubase Nuendo

Mac OS X

“ * * /Library/Preferences” Cubase / Nuendo
 : Mac OS X 10.7 (Lion) 가 !
 . Mac OS X “ ” 가 [alt]
 (options) “Library” .

Windows

Windows + R 'Run' . (Windows XP : 'Run'
 .) ' . %appdata%/[Steinberg Cubase](#) /
 Nuendo

List of settings files and their purpose

Color setup (default)	Defaults.xml
Color setup	Saved with project file
Crossfade presets	\Presets\RAMPresets.xml
Device maps	Folder where program is installed into \Device Maps *.xml
Device Panels	\Panels\<device name><unique combination of letters and numbers>.xml
Device port input / Output setup	Port Setup.xml
Drum maps	\Drummaps\ as *.drm
Edit modifier keys (current)	Edit Modifiers.xml
EQ presets	\Presets\VstEqPresets.xml
External FX / Instruments setups in VST Connections	External Plugins.xml
Insert presets	\Presets\InsertsFolderPresets.pxml
Installed MIDI devices	Midi Devices.bin
Key command presets	\Presets\KeyCommands\<preset name>.xml
Key commands (current)	Key Commands.xml

Logical Editor presets	\Presets\Logical Edit\<preset name>.xml
MediaBay auto scan drives	FileSysObserver.xml
MediaBay column, list, attribute settings	MediaDefaults.xml
MediaBay factory defaults for "Reset"	MediaFactoryDefaults.xml
MediaBay settings	MediaDefaults.xml
MediaBay database	mediabay3.bin (former versions: mediabay.bin)
MediaBay already scanned folders	scannedFolders3.bin (former versions: scannedFolders.bin)
MIDI FX presets	\Presets\<plugin name>\<preset name>.xml
MIDI Insert presets	\Presets\MidiInsertsPresets\ as *.xml
MIDI Snapshots	\Presets\MIDI snapshot\<device name><unique combination of letters and numbers> as *.xml
Mixer (or channel) settings	Saved in the last active folder as *.vmx (VST Mixer settings)
Mixer view presets	Saved with project file
Patch name scripts	\Scripts\Patchnames\ as *.txt
Preferences (current)	Defaults.xml
Preferences configuration presets	\Presets\Configurations\<preset name>.xml
Preferences configuration	Configuration.xml
Quantize presets	\Presets\RAMPresets.xml
Score custom palettes	Score Custom Palettes.xml
Score default font	Score Default Font.xml
Score guitar symbols for dialogue, symbol inspector	GuitarLib.xml
Score setting window setup	Score Setting Window.xml
Score staff presets	\Presets\Staff Presets as *.xml file
Template user projects	\Templates\<template name>.cpr
Tool bar presets	\Presets\RAMPresets.xml
Track control presets	\Presets\RAMPresets.xml
Track presets (included with the program)	Folder where program is installed into \Track Presets (with sub folders \Audio, \Instrument, \Midi, \Multi) as *.trackpreset
Track presets (user defined)	Win: \Users\<user name>\AppData\Roaming\Steinberg\Track Presets Mac: <user name>\Library\Application Support\Steinberg\Track Presets (with sub folders \Audio, \Instrument, \Midi, \Multi) as *.trackpreset
Transport panel presets	\Presets\RAMPresets.xml
Usage profile protocol	Usage Profile.xml (only if enabled in the preferences)
VST Connections presets	\Presets\RAMPresets.xml
VST2 plug-ins (not loadable)	Vst2xBlacklist.xml
VST2 plug-ins and instruments	Vst2xPlugins.xml
VST3 plug-ins and instruments	VstPlugInfo.xml
VST3 presets (included with the program)	In the application folder under \VST3 Presets as *.vstpreset file

VST3 presets (public, for all programs)	Win: C:\Users\<user name>\AppData\Roaming\Steinberg\Track Presets Mac: <user name>\Library\Application Support\Steinberg\Track Presets as *.vstpreset file
Workspaces Presets (global)	Window Layouts.xml
Workspaces	Saved with project file
Zoom presets	\Presets\RAMPresets.xml



<http://wiki.homerecz.com>

From:
<https://wiki.homerecz.com/> -

Last update: **2024/07/08**

: (admin@homerecz.com)